

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.57



rade-List

OF

AMERICAN

PLANTS....

...AND...



SHRUBS

COLLECTED AND GROWN BY

W.M. F. BASSETT & SON,

<sup>11</sup>

Hammonton,

1896-7.

New Jersey, U. S. A.



# Terms and Remarks.

---

**THE SEASON** of 1896 has been very favorable for the growth of plants in our section, and we are enabled to offer the finest stock we have ever grown. We have also largely increased our stock. We wish to call special attention to the following plants, which we can now offer in several grades, all of which have grown from one to three years in the nursery:

**CLETHRA ALNIFOLIA, ANDROMEDA MARIANA, MAGNOLIA GLAUCA,  
ROSA LUCIDA, CHIONANTHUS VIRGINICA, SYMPHORICARPOS VULGARIS,  
LIRIODENDRON TULIPIFERA, LIQUIDAMBAR STYRACIFLUA,  
PYRUS ARBUTIFOLIA, ILEX OPACA.**

**COLLECTED PLANTS.**—In this branch of our business we aim to be leaders. We call particular attention to the very superior quality of plants collected by us.

**PACKING.**—We make no charge for packing, except on large stock, where the cost is out of proportion to the price of stock. Only the best sphagnum moss is used in packing.

**COMPLAINTS.**—All complaints, to receive notice by us, must be made within ten days after stock is received.


**PRICES** are without discount, except that where cash accompanies the order, 5 per cent. may be deducted. Six, fifty and five hundred may be ordered at dozen, hundred and thousand rates.

**BILLS** are due and payable 30 days from date.

Address

**WM. F. BASSETT & SON,  
Hammonton, New Jersey.**





CENTROSEMA VIRGINICA.

## OUR NOVELTIES.

### CENTROSEMA VIRGINICA.

Wherever a lovely climbing vine is wanted this should be used. Plant them among beds of iris, among groups of eulalias and other hardy grasses, among shrubbery and in bits of wild grass. In these places they make a lovely show of blue sweet pea-like flowers, and will remain from year to year. It makes itself at home among other plants, and is more beautiful than when planted alone. It is particularly valuable for seaside planting, as it stands the salt air. It succeeds perfectly in almost pure beach sand, making an elegant mass of foliage and flowers. There has been some question as to its hardiness by those not understanding its nature. It almost always kills below the crown in winter, but just as surely sprouts again from the roots lower down.

**Propagation from Root-cuttings.** The best method of propagation is from pieces of roots a few inches long. If these are packed in a box of moss early in December, and kept in a warm place in the greenhouse (under the bench, over a water pipe), they

will develop buds. They may be then potted off and grown in pots, or may be kept nearly dormant and planted in open ground in May.

It makes a beautiful vine, climbing 6 to 8 feet, and producing for six weeks a profusion of very large inverted pea-shaped flowers of an elegant shade of pale violet-blue. The sketch (page 3) shows the size and appearance of a leaf and flower. It blooms very freely the first year from seed. The seed should, however, be soaked in **VERY HOT WATER** until it swells, and then sown immediately. Price of seed, 40 cts. per oz., \$1 per  $\frac{1}{4}$  lb., \$3.50 per lb. Price of root cuttings, \$1.50 per 100, \$10 per 1,000.

### **KOSTELETZKYA VIRGINICA.**


This is one of the Malvaceæ that is well worth a place in any garden. It makes a robust plant 2 to 3 feet high, covered in late summer with beautiful rose-pink flowers  $2\frac{1}{2}$  inches across, opening almost flat. It has been called "PINK BEAUTY," a very appropriate name. It is hardy with a little protection. It blooms the first year from seed, but much better the second year. We have a fine lot of both one and two-year tubers. Price of seed, 75 cts. per oz., \$3 per  $\frac{1}{4}$  lb., \$10 per lb. Price of tubers, 1-year, \$4 per 100, \$35 per 1,000; 2-year, \$5 per 100, \$45 per 1,000.



### **CRIMSON EYE HIBISCUS**

The finest strain of Hardy Hibiscus. See cut on page 8.

New crop seed, 40 cts. per oz., \$3 per lb.; 1-year plants, \$1.75 per 100, \$12 per 1,000; 2-year plants, \$2.50 per 100, \$18 per 1,000.



### TRILLIUM GRANDIFLORUM ROSEUM.

In this new Trillium we have a distinct botanical variety, and possibly a new species. The flowers are of the large size and form of *T. grandiflorum*, and vary in color from light pink to deep rose. *T. grandiflorum* occasionally turns to a dull pink with age, but the var. *roseum* is a bright, live pink at the start, turning darker with age. The foliage is much nearer *T. erectum*, the leaflets being *fully as broad as long*, while in *T. grandiflorum* they are *much longer than broad*. We offered it to a few parties last year, but as *our statements were doubted*, we withdrew our offers. (One party wrote: "I simply do not believe it.") We have bloomed a lot of 2,500 plants this spring, and we can say positively that it is distinct. A mass of bloom from a distance has the color of peach blossoms. We can recommend it is a beautiful addition to the Trilliums. We offer transplanted bulbs as follows: 75 cts. per doz., \$4 per 100.

# General List of HARDY PERENNIALS.

Varieties in **full faced type** are nursery-grown; others are collected plants.

|   | Per doz. | Per 100 | Per 1,000 |
|---|----------|---------|-----------|
| <b>Achillæa, The Pearl</b> . . . . .      | \$0 40   | \$2 50  | \$20 00   |
| " <b>millefolium roseum</b> . . . . .     | 60       | 4 00    |           |
| " <b>tomentosa</b> . . . . .              | 60       | 4 00    |           |
| <b>Aster patens</b> . . . . .             | 50       | 2 00    | 15 00     |
| " <b>concolor</b> . . . . .               | 75       | 4 00    | 35 00     |
| " <b>spectabilis</b> . . . . .            | 50       | 2 50    | 20 00     |
| " <b>nemoralis</b> . . . . .              | 80       | 5 00    |           |
| " <b>linariifolius</b> . . . . .          | 50       | 1 50    | 12 00     |
| " <b>Tradescantii</b> . . . . .           | 40       | 2 50    | 20 00     |
| " <b>longifolius</b> . . . . .            | 75       | 4 00    |           |
| <b>Anthemis tinctoria</b> . . . . .       | 75       | 3 50    |           |
| <b>Apio</b> <i>tuberosa</i> . . . . .     | 30       | 1 00    | 8 00      |
| <b>Arenaria squarrosa</b> . . . . .       | 80       | 3 00    | 25 00     |
| " <b>lateriflora</b> . . . . .            | 1 00     | 6 00    |           |
| <b>Anemone nemorosa</b> . . . . .         | 75       | 3 00    |           |
| <b>Anemonella thalictroides</b> . . . . . | 60       | 3 00    |           |
| <b>Aquilegia Canadensis</b> . . . . .     | 50       | 2 00    | 15 00     |
| <b>Asarum Canadensis</b> . . . . .        | 80       | 5 00    |           |
| <b>Aletris farinosa</b> . . . . .         | 50       | 1 80    | 12 00     |
| <b>Asclepias tuberosa</b> . . . . .       | 80       | 5 00    | 40 00     |
| " <b>obtusifolia</b> . . . . .            | 60       | 3 00    |           |
| " <b>incarnata</b> . . . . .              | 50       | 2 50    | 20 00     |
| " " <b>pulchra</b> . . . . .              | 50       | 2 50    | 20 00     |
| " <b>rubra</b> . . . . .                  | 2 00     |         |           |
| <b>Aplectrum hyemale</b> . . . . .        | 80       | 4 00    |           |
| <b>Arisæma triphyllum</b> . . . . .       | 40       | 1 50    | 10 00     |
| " <b>dracontium</b> . . . . .             | 80       | 4 00    |           |
| <b>Acorus calamus</b> . . . . .           | 50       | 1 50    | 10 00     |
| <b>Aspidium marginale</b> . . . . .       | 50       | 2 00    | 15 00     |
| " <b>thelypteris</b> . . . . .            | 50       | 2 00    | 15 00     |
| " <b>novaboracensis</b> . . . . .         | 50       | 2 00    | 15 00     |
| " <b>acrostichoides</b> . . . . .         | 50       | 2 00    | 15 00     |
| " <b>cristatum</b> . . . . .              | 80       | 4 00    |           |
| " <b>spinulosum</b> . . . . .             | 75       | 3 00    | 25 00     |
| <b>Asplenium ebeneum</b> . . . . .        | 50       | 2 00    | 15 00     |
| " <b>trichomanes</b> . . . . .            | 75       | 3 00    |           |
| <b>Adiantum pedatum</b> . . . . .         | 75       | 3 00    | 25 00     |
| <b>Andropogon macrourus</b> . . . . .     | 50       | 2 00    |           |
| <b>Breweria Pickeringii</b> . . . . .     | 1 00     | 6 00    |           |
| <b>Baptisia tinctoria</b> . . . . .       | 75       | 2 50    | 20 00     |
| <b>Brasenia peltata</b> . . . . .         | 50       | 2 00    | 15 00     |
| <b>Botrychium Virginicum</b> . . . . .    | 80       | 4 00    |           |
| <b>Coreopsis lanceolata</b> . . . . .     | 50       | 2 50    | 20 00     |
| <b>Chrysopsis mariana</b> . . . . .       | 50       | 2 50    | 20 00     |
| " <b>falcata</b> . . . . .                | 75       | 5 00    |           |
| <b>Convallaria majalis</b> . . . . .      | 50       | 2 00    |           |

|                                     | Per doz. | Per 100 | Per 1,000 |
|-------------------------------------|----------|---------|-----------|
| <b>Clintonia borealis</b>           | \$0 60   | \$3 00  |           |
| <b>Calopogon pulchellus</b>         | 50       | 3 00    |           |
| <b>Cypripedium acaule</b>           | 60       | 3 00    |           |
| "    spectabile                     | 1 75     | 10 00   |           |
| "    pubescens                      | 1 25     | 8 00    |           |
| <b>Cunilla Mariana</b>              | 60       | 3 00    |           |
| <b>Calystegia pubescens fl. pl.</b> | 50       | 1 50    |           |
| "    sepium                         | 40       | 1 00    |           |
| <b>Chelone glabra</b>               | 50       | 3 00    |           |
| <b>Chimaphila maculata</b>          | 60       | 3 00    |           |
| "    umbellata                      | 75       | 4 00    |           |
| <b>Caltha palustris</b>             | 60       | 3 00    | \$25 00   |
| <b>Calla palustris</b>              | 75       | 4 00    |           |
| <b>Cimicifuga racemosa</b>          | 60       | 3 00    | 20 00     |
| <b>Claytonia Virginica</b>          | 60       | 2 00    |           |
| <b>Cassia Marylandica</b>           | 60       | 2 00    | 18 00     |
| <b>Calamagrostis brevipilis</b>     | 60       | 3 00    |           |
| "    Nuttalliana                    | 1 00     | 6 00    |           |
| <b>Camptosorus rhizophyllus</b>     | 60       | 3 00    |           |
| <b>Dioscorea villosa</b>            | 60       | 3 00    |           |
| <b>Dracocephalum Virginicum</b>     | 60       | 3 00    |           |
| <b>Dicentra cucullaria</b>          | 60       | 2 00    | 15 00     |
| "    Canadensis                     | 75       | 3 00    |           |
| <b>Drosera filiformis</b>           | 60       | 1 50    | 10 00     |
| "    rotundifolia                   | 60       | 3 00    |           |
| "    intermedia                     | 60       | 3 00    |           |
| <b>Dentaria laciniata</b>           | 60       | 3 00    |           |
| <b>Dicksonia pilosiuscula</b>       | 60       | 2 00    | 15 00     |
| <b>Eriocaulon gnaphalodes</b>       | 50       | 1 50    |           |
| "    decangulare                    | 60       | 2 00    |           |
| "    septangulare                   | 75       | 3 00    |           |
| <b>Erythronium Americanum</b>       | 60       | 2 50    | 20 00     |
| <b>Euphorbia corollata</b>          | 60       | 3 00    | 25 00     |
| "    ipecauanae                     | 50       | 2 00    |           |
| <b>Elodes Virginica</b>             | 60       | 3 00    |           |
| <b>Epilobium angustifolium</b>      | 60       | 3 00    |           |
| <b>Eupatorium aromaticum</b>        | 80       | 4 00    |           |
| "    ageratoides                    | 75       | 3 00    |           |
| "    purpureum                      | 60       | 2 00    | 18 00     |
| <b>Eriophorum gracile</b>           | 75       | 4 00    |           |
| "    Virginicum                     | 60       | 2 00    |           |
| <b>Eryngium Virginicum</b>          | 75       | 3 00    | 25 00     |
| <b>Erianthus allopecuroides</b>     | 60       | 3 00    | 25 00     |
| <b>Eulalia gracillima</b>           | 50       | 2 00    | 18 00     |
| "    Japonica zebrina               | 60       | 2 50    | 18 00     |
| <b>Galactia glabella</b>            | 80       | 5 00    |           |
| <b>Gillenia trifoliata</b>          | 75       | 3 00    | 25 00     |
| <b>Gentiana Andrewsii</b>           | 1 50     | 6 00    |           |
| "    saponaria                      | 1 25     | 6 00    |           |
| "    angustifolia                   | 80       | 5 00    |           |
| <b>Gerardia flava</b>               | 60       | 3 00    |           |

Plants **in this type** are nursery grown; **in this type**, collected.



CRIMSON EYE HIBISCUS.

|   | Per doz. | Per 100 | Per 1,000 |
|---|----------|---------|-----------|
| <b>Gerardia quercifolia</b> . . . . .   | \$1 25   | \$8 00  |           |
| <b>Geranium maculatum</b> . . . . .     | 60       | 2 50    |           |
| " <b>sanguineum</b> . . . . .           | 1 00     | 5 00    |           |
| " <b>Robertianum</b> . . . . .          | 1 00     | 4 00    |           |
| <b>Gratiola aurea</b> . . . . .         | 60       | 3 00    |           |
| <b>Houstonia cerulea</b> . . . . .      | 50       | 2 00    |           |
| <b>Helianthus divaricatus</b> . . . . . | 60       | 2 00    | \$15 00   |
| " <b>angustifolius</b> . . . . .        | 60       | 3 00    |           |
| " <b>Orgyalis</b> . . . . .             | 75       | 4 50    | 40 00     |
| " <b>laetiflorus</b> . . . . .          | 60       | 2 50    | 20 00     |
| " <b>giganteus</b> . . . . .            | 60       | 3 00    |           |
| <b>Helenium autumnale</b> . . . . .     | 60       | 2 00    | 15 00     |
| <b>Hibiscus moscheutos</b> . . . . .    | 60       | 3 00    | 20 00     |
| " " <b>Crimson Eye</b> . . . . .        | 60       | 2 50    | 18 00     |
| " " <b>Rose Pink</b> . . . . .          | 60       | 3 00    | 20 00     |
| <b>Hepatica triloba</b> . . . . .       | 60       | 2 00    | 15 00     |
| " <b>acutiloba</b> . . . . .            | 60       | 2 50    | 20 00     |
| <b>Helonias bullata</b> . . . . .       | 85       | 4 00    | 30 00     |
| <b>Habenaria ciliaris</b> . . . . .     | 75       | 5 00    |           |
| " <b>blephariglottis</b> . . . . .      | 70       | 4 00    |           |
| " <b>tridentata</b> . . . . .           | 75       | 4 00    |           |
| " <b>cristata</b> . . . . .             | 1 50     | 8 00    |           |
| <b>Hemerocallis fulva</b> . . . . .     | 60       | 2 00    | 15 00     |
| " <b>flava</b> . . . . .                | 85       | 5 00    |           |
| " <b>Dumortieri</b> . . . . .           | 85       | 5 00    |           |
| <b>Heuchera Americana</b> . . . . .     | 50       | 2 00    | 15 00     |
| <b>Ipomoea pandurata</b> . . . . .      | 1 00     | 6 00    |           |
| <b>Iris prismatica</b> . . . . .        | 60       | 2 00    | 15 00     |
| " <b>versicolor</b> . . . . .           | 60       | 1 50    | 12 00     |
| " <b>Germanica</b> . . . . .            | 60       | 1 50    | 12 00     |
| " <b>pumila</b> . . . . .               | 75       | 2 50    |           |
| <b>Lobelia cardinalis</b> . . . . .     | 60       | 1 75    | 12 00     |
| " <b>syphilitica</b> . . . . .          | 75       | 2 00    |           |
| <b>Liatris graminifolia</b> . . . . .   | 50       | 2 00    | 15 00     |
| " <b>spicata</b> . . . . .              | 75       | 2 50    |           |
| " <b>punctata</b> . . . . .             | 75       | 3 00    |           |

Plants **in this type** are nursery grown; **in this type**, collected.

***Lythrum salicaria superba.*** \$1 per doz., \$5 per 100, \$45 per 1,000.***Lysimachia clethroides.*** 60 cts. per doz., \$4 per 100.***Lysimachia nummularia.*** 60 cts. per doz., \$2 per 100, \$18 per 1,000.***Lysimachia punctata.*** 60 cts. per doz., \$3 per 100.***Lysimachia ciliata.*** 60c. per doz., \$3 per 100.***Lysimachia quadrifolia.*** 60c. per doz., \$2.50 per 100.***Lysimachia stricta.*** 60 cts. per doz., \$2 per 100.***Lymnanthemum lacunosum.*** 85 cts. per doz., \$5 per 100.***Lophiola aurea.*** 60c. per doz., \$3 per 100, \$25 per 1,000.***Lupinus perennis.*** 75c. per doz., \$4 per 100.***Liparis liliifolia.*** \$1.50 per doz., \$8 per 100.***Lilium superbum*** . . . . ." ***Philadelphicum*** . . . . .***Mitchella repens*** . . . . .***Mikania scandens*** . . . . .***Mertensia Virginica*** . . . . .***Nymphaea odorata*** . . . . ." " ***minor*** . . . . .***Nuphar advena*** . . . . .***Nepeta glechoma*** . . . . .***Nesaea verticillata*** . . . . .***Oxalis violacea*** . . . . .***Ornithogalum umbellatum*** . . . . .***Orontium aquaticum*** . . . . .***Opuntia Rafinesquii*** . . . . .***Oenothera fruticosa*** . . . . .***Onoclea sensibilis*** . . . . ." ***struthiopteris*** . . . . .***Osmunda regalis*** . . . . .

## NYMPHAEA ODORATA MINOR.

Per doz. Per 100 Per 1,000

\$0 75 \$3 50 \$28 00

80 4 00

50 1 50 12 00

60 3 00

60 2 00 18 00

60 3 00 25 00

75 4 00 30 00

60 3 00

50 2 00

60 3 00

60 3 00

40 1 50 10 00

90 6 00 45 00

60 1 50 10 00

60 2 00 18 00

60 2 00 15 00

70 4 00

1 00 6 00 50 00

***Osmunda cinnamomea*** . . . . .

1 00 6 00 50 00

***O. Claytoniana*** . . . . .

85 4 00

***Podophyllum peltatum*** . . . . .

60 2 00 15 00

***Pyrola elliptica*** . . . . .

60 2 00

***P. rotundifolia*** . . . . .

60 3 00

***P. chlorantha*** . . . . .

60 2 00

***Pyxidanthera barbulata*** . . . . .

75 3 00 25 00

***Phlox maculata*** . . . . .

75 3 50

***P. divaricata*** . . . . .


75 3 00 25 00

***P. subulata*** . . . . .

60 2 50

***Pogonia ophioglossoides*** . . . . .

60 2 00



ORONTIUM AQUATICUM.

Plants in this type are nursery grown; in this type, collected.



PLUMBAGO LARPENTÆ.

**Pardanthus Chinensis**50 cts. per doz., \$3 per 100,  
\$20 per 1,000.**Pontederia cordata.** 75c. per  
doz., \$4 per 100, \$30 per 1,000.**Peltandra Virginica.** \$1.50  
per doz., \$8 per 100, \$60  
per 1,000.**Pentstemon barbatus  
Torreyi.** 75 cts. per doz.,  
\$4.50 per 100.**Pentstemon pubescens.** 60c.  
per doz., \$2.50 per 100, \$20  
per 1,000.**Plumbago Larpentæ.**  
60 cts. per doz., \$4 per 100,  
\$35 per 1,000.**Panicum virgatum.** 60c. per  
doz., \$2 per 100, \$15 per 1,000.**Phragmites communis.** 75 cts.  
per doz., \$4 per 100, \$35  
per 1,000.

|                                  | Per doz. | Per 100 | Per 1,000 |
|----------------------------------|----------|---------|-----------|
|                                  | \$0 60   | \$3 00  |           |
| <b>Phegopteris hexagonoptera</b> |          |         |           |
| <b>Polypodium vulgare</b>        | 60       | 2 00    | \$15 00   |
| <b>Pteris aquilina</b>           | 60       | 2 00    | 15 00     |
| <b>Rhexia Virginica</b>          | 60       | 3 00    | 20 00     |
| <b>Rudbeckia hirta</b>           | 60       | 2 50    | 20 00     |
| " <b>laciniata</b>               | 60       | 3 00    | 25 00     |
| " <b>nitida</b>                  | 75       | 4 00    | 35 00     |
| <b>Solidago tenuifolia</b>       | 50       | 2 00    | 15 00     |
| " <b>odora</b>                   | 50       | 2 00    | 15 00     |
| " <b>sempervirens</b>            | 60       | 2 50    | 20 00     |
| " <b>virgata</b>                 | 75       | 3 00    | 25 00     |
| " <b>puberula</b>                | 60       | 2 50    |           |
| " <b>altissimum</b>              | 60       | 2 50    |           |
| " <b>nemoralis</b>               | 60       | 2 00    | 15 00     |
| <b>Sedum acre</b>                | 60       | 2 00    | 15 00     |
| " <b>ternatum</b>                | 60       | 2 00    | 15 00     |
| <b>Sarracenia purpurea</b>       | 50       | 2 00    | 15 00     |
| <b>Silene Pennsylvanica</b>      | 75       | 5 00    |           |
| " <b>stellata</b>                | 60       | 3 00    |           |
| <b>Sclerolepis verticillata</b>  | 75       | 4 00    |           |
| <b>Sabatia lanceolata</b>        | 60       | 3 00    | 25 00     |
| " <b>chloroides</b>              | 75       | 4 00    |           |
| <b>Salvia lyrata</b>             | 60       | 2 00    | 15 00     |
| <b>Smilacina racemosa</b>        | 75       | 3 00    | 25 00     |
| " <b>bifolia</b>                 | 75       | 3 00    | 25 00     |
| <b>Sagittaria variabilis</b>     | 50       | 2 00    | 18 00     |
| <b>Sanguinaria Canadensis</b>    | 60       | 2 00    | 18 00     |
| <b>Scirpus Eriophorum</b>        | 60       | 3 00    |           |
| <b>Typha latifolia</b>           | 60       | 2 00    | 15 00     |
| " <b>angustifolia</b>            | 60       | 2 00    | 15 00     |
| <b>Tradescantia Virginica</b>    | 60       | 2 50    | 20 00     |

Plants in this type are nursery grown; in this type, collected.

|                                    |                     | Per doz | Per 100 | Per 1,000 |
|------------------------------------|---------------------|---------|---------|-----------|
| <b>Tradescantia Virginica alba</b> |                     | \$0 75  | \$3 50  |           |
| “                                  | <b>fl. pl.</b>      | 1 00    |         |           |
| <b>Tephrosia Virginica</b>         |                     | 60      | 2 00    | \$18 00   |
| <b>Trillium erectum</b>            |                     | 60      | 3 00    |           |
| “                                  | <b>album</b>        | 75      | 4 00    |           |
| “                                  | <b>grandiflorum</b> | 60      | 2 50    | 20 00     |
| “                                  | <b>“ roseum</b>     | 75      | 4 00    |           |
| <b>Vernonia Novaboracensis</b>     |                     | 60      | 2 50    | 20 00     |
| <b>Viola pedata</b>                |                     | 50      | 1 50    | 10 00     |
| “                                  | <b>bicolor</b>      | 80      | 5 00    |           |
| “                                  | <b>cucullata</b>    | 50      | 1 50    | 10 00     |
| “                                  | <b>palmata</b>      | 75      | 2 50    |           |
| “                                  | <b>primulæfolia</b> | 75      | 2 50    |           |
| <b>Veronica officinalis</b>        |                     | 50      | 2 00    | 18 00     |
| “                                  | <b>cercæoides</b>   | 75      | 3 00    | 25 00     |
| <b>Woodsia obtusa</b>              |                     | 75      | 3 00    |           |
| <b>Woodwardia Virginica</b>        |                     | 60      | 2 00    | 15 00     |
| “                                  | <b>angustifolia</b> | 60      | 2 50    | 20 00     |
| <b>Xerophyllum asphodeloides</b>   |                     | 75      | 5 00    | 40 00     |
| “                                  | <b>(collected)</b>  | 60      | 2 00    | 15 00     |
| <b>Yucca filamentosa</b>           |                     | 80      | 3 50    | 30 00     |

## General List of TREES AND SHRUBS.

Varieties in **full-faced type** are nursery-grown; others are collected plants. Collected plants of most of the following species will be from 1 to 3 feet, cut back to

about 2 feet. Extra care is taken to get plants that are thrifty and well rooted.

Per doz. Per 100 Per 1,000

|                                | Per doz. | Per 100 | Per 1,000 |
|--------------------------------|----------|---------|-----------|
| <b>Arctostaphylos Uva-ursi</b> | \$0 60   | \$2 00  | \$15 00   |

|   | Per doz. | Per 100 | Per 1,000 |
|---|----------|---------|-----------|
| <b>Amelanchier Canadensis.</b> 1 to 2 ft. | 75       | 4 00    | 30 00     |

|   | Per doz. | Per 100 | Per 1,000 |
|---|----------|---------|-----------|
| <b>Amelanchier Canadensis.</b> (Collected.) | 60       | 2 00    | 15 00     |

|  | Per doz. | Per 100 | Per 1,000 |
|--|----------|---------|-----------|
| <b>Amelanchier Canadensis var. rotundifolium.</b> (Ripens fruit in July) | 75       | 4 00    | 30 00     |
| <b>Amelanchier botryoides</b>  | 60       | 2 50    | 20 00     |
| <b>Amorpha fruticosa</b>   | 60       | 2 00    |           |

|                                | Per doz. | Per 100 | Per 1,000 |
|--------------------------------|----------|---------|-----------|
| <b>Acer rubrum.</b> 1 to 2 ft. | 30       | 1 50    | 12 00     |
| “                              | 60       | 2 50    | 20 00     |

|   | Per doz. | Per 100 | Per 1,000 |
|---|----------|---------|-----------|
| “ | 75       | 3 50    | 30 00     |

(These are straight and well-rooted.)

|                            | Per doz. | Per 100 | Per 1,000 |
|----------------------------|----------|---------|-----------|
| <b>Acer Pennsylvanicum</b> | 75       | 4 00    | 35 00     |

|                        | Per doz. | Per 100 | Per 1,000 |
|------------------------|----------|---------|-----------|
| <b>Asimina triloba</b> | 60       | 3 50    | 30 00     |

|                      | Per doz. | Per 100 | Per 1,000 |
|----------------------|----------|---------|-----------|
| <b>Ascyrum stans</b> | 60       | 2 00    |           |

|   | Per doz. | Per 100 | Per 1,000 |
|---|----------|---------|-----------|
| “ | 60       | 2 00    |           |

|                                | Per doz. | Per 100 | Per 1,000 |
|--------------------------------|----------|---------|-----------|
| <b>Ampelopsis quinquefolia</b> | 60       | 2 50    | 20 00     |

ANDROMEDA MARIANA.

Plants in this type are nursery-grown; in this type, collected.



**Andromeda Mariana.** 8 to 12 in. 60 cts. per doz., \$4 per 100, \$30 per 1,000.

**Andromeda Mariana.** 1 to 2 ft. \$1 per doz., \$5 per 100, \$40 per 1,000. (Have fine stock of *A. Mariana* in nursery, 2 and 3 years old.) 1 to 2 ft., Col. 50 cts. per doz., \$2 per 100, \$15 per 1,000.

**Andromeda racemosa.** 1 to 2 ft. 80c. per doz., \$5 per 100, \$40 per 1,000. 1 to 2 ft., Col. 60 cts. per doz., \$3 per 100, \$25 per 1,000.

**Andromeda Ligustrina.** 1 to 2 ft. 80 cts. per doz., \$4 per 100. 1 to 2 ft., Col. 50 cts. per doz., \$3 per 100, \$25 per 1,000.

**Andromeda calyculata.** 1 ft. 75 cts. per doz., \$3 50 per 100. 1 ft., Col. 50 cts. per doz., \$2 per 100, \$15 per 1,000.

**Andromeda arborea.** 2 to 3 ft. Very bushy and fine. \$1 00 Per doz. \$6 00 Per 100 \$50 00

**Azalea viscosa.** 1 to 2 ft. Fine bushy plants, 2 years, trans. 1 25 Per doz. 8 00

“ “ (Collected) . . . . . 60 3 00 25 00

“ nudiflora . . . . . 60 3 00 25 00

**Ailanthus glandulosus.** 2 ft. . . . . 60 2 50 20 00

**Betula populifolia.** 3 ft. 2 years, transplanted . . . . . 75 4 00

“ “ 2 ft. Collected . . . . . 60 2 00 12 00

“ nigra. 2 ft. . . . . 60 2 00 18 00

“ “ 3 ft., bushy . . . . . 75 4 00

**Baccharis halimifolia** . . . . . 75 3 00 25 00

**Carya alba** . . . . . 60 4 00

“ tomentosa . . . . . 60 4 00

**Corylus rostrata** . . . . . 75 4 00

“ **Americana.** 2 to 5 ft. . . . . 80 5 00

“ “ Collected . . . . . 60 3 00 20 00

ANDROMEDA  
CALYCULATA.

|   | Per doz. | Per 100 | Per 1,000 |
|---|----------|---------|-----------|
| <b>Carpinus Americana.</b> 60 cts. per doz., \$4 per 100, \$30 per 1,000.                                 | 60       | 6 00    | \$50 00   |
| <b>Cornus Florida.</b> 2 ft. 50c. per doz., \$3 per 100, \$20 per 1,000.                                  | 60       | 6 00    | \$20 00   |
| <b>Cornus cericea.</b> 2 ft. 60 cts. per doz., \$3 per 100, \$28 per 1,000.                               | 60       | 6 00    | \$28 00   |
| <b>Cornus alternifolia.</b> 1 to 2 ft. 60 cts. per doz., \$3 50 per 100, \$25 per 1,000.                  | 60       | 6 00    | \$25 00   |
| <b>Cornus stolonifera.</b> 2 ft. 75 cts. per doz., \$5 per 100. Collected. 60 cts. per doz., \$3 per 100. | 60       | 6 00    | \$3 00    |
| <b>Cornus paniculata.</b> 60 cts. per doz., \$3 per 100, \$25 per 1,000.                                  | 60       | 6 00    | \$25 00   |
| <b>Cornus circinata.</b> 2 ft. 75 cts. per doz., \$4 50 per 100, \$40 per 1,000.                          | 60       | 6 00    | \$40 00   |
| <b>Cephalanthus occidentalis.</b> 2 ft. 80 cts. per doz. Col., 60 cts. per doz., \$4 per 100.             | 60       | 6 00    | \$4 00    |

**Carpinus Americana.** 60 cts. per doz., \$4 per 100, \$30 per 1,000.

**Cornus Florida.** 2 ft. 50c. per doz., \$3 per 100, \$20 per 1,000.

**Cornus cericea.** 2 ft. 60 cts. per doz., \$3 per 100, \$28 per 1,000.

**Cornus alternifolia.** 1 to 2 ft. 60 cts. per doz., \$3 50 per 100, \$25 per 1,000.

**Cornus stolonifera.** 2 ft. 75 cts. per doz., \$5 per 100. Collected. 60 cts. per doz., \$3 per 100.

**Cornus paniculata.** 60 cts. per doz., \$3 per 100, \$25 per 1,000.

**Cornus circinata.** 2 ft. 75 cts. per doz., \$4 50 per 100, \$40 per 1,000.

**Cephalanthus occidentalis.** 2 ft. 80 cts. per doz. Col., 60 cts. per doz., \$4 per 100.



AZALEA VISCOSA.



ANDROMEDA  
CALYCULATA.

Plants in this type are nursery grown; in this type, collected.

|   |   |  | Per doz. | Per 100 | Per 1,000 |
|---|---|--|----------|---------|-----------|
| <b>Comptonia asplenifolia.</b>  | 12 to 18 in. Bushy                                |  | \$0 60   | \$3 00  |           |
| "   | Collected   |  | 50       | 1 50    | \$10 00   |
| <b>Cupressus thyoides.</b>  | 1 to 2 ft.  |  | 50       | 2 00    | 12 00     |
| "   | 6 in.   |  |          |         | 4 00      |
| <b>Chionanthus Virginica.</b>   | 6 to 8 in.  |  | 60       | 4 00    |           |
| "   | 8 to 12 in.                                       |  | 75       | 5 00    | 40 00     |
| "   | 1 to 2 ft.  |  | 100      | 6 00    | 45 00     |
| "   | Collected   |  | 75       | 3 50    | 30 00     |
| <b>Clethra alnifolia.</b>   | 8 to 12 in. Bushy                                 |  | 60       | 2 50    | 20 00     |
| "   | 1 to 2 ft. Bushy                                  |  | 75       | 3 00    | 25 00     |
| "   | 2 ft. Extra heavy                                 |  | 100      | 4 00    |           |
| "   | 1 to 2 ft., Collected                             |  | 50       | 2 00    | 15 00     |
| "   | 2 to 3 ft., Collected                             |  | 60       | 2 50    | 20 00     |
| <b>Clematis Virginica</b>   |   |  | 60       | 2 50    | 18 00     |
| <b>Celastrus scandens.</b>  | 2 ft.   |  | 75       | 3 00    | 20 00     |
| "   | Collected   |  | 50       | 2 00    | 15 00     |
| <b>Ceanothus Americanus.</b>  | 1 ft. Bushy                                       |  | 75       | 4 50    | 40 00     |
| "   | 1 ft. Collected                                   |  | 60       | 4 00    | 30 00     |
| <b>Cercis Canadensis</b>  |   |  | 75       | 4 00    | 30 00     |
| <b>Crataegus parvifolia</b>   |   |  | 60       | 3 00    | 25 00     |
| <b>Diospyros Virginiana</b>   |   |  | 60       | 2 00    | 15 00     |
| <b>Epigaea repens.</b>  | Small seedlings, with ball                        |  | 100      | 6 00    | 45 00     |
| <b>Euonymus Americanus.</b>   | 2 ft. 3 years, transplanted                       |  | 75       | 3 50    |           |
| "   | 2 ft. Collected                                   |  | 60       | 2 50    | 20 00     |
| "   | <b>Europeus.</b> 3 ft. Bushy                      |  | 125      | 5 00    |           |
| <b>Fagus feruginea</b>  |   |  | 60       | 2 50    | 20 00     |
| <b>Fraxinus Americana</b>   |   |  | 75       | 3 50    | 30 00     |
| "   | <b>sambucifolia</b>                               |  | 75       | 3 50    | 30 00     |
| <b>Gaylussacia frondosa.</b>  | 60 cts. per doz., \$3 per 100,<br>\$25 per 1,000. |  |          |         |           |
| <b>Gaylussacia resinosa.</b>  | 50 cts. per doz., \$2 per 100, \$15 per 1,000.    |  |          |         |           |
| <b>Gaylussacia dumosa</b>   | 6 in. 75 cts. per doz., \$4 per 100.              |  |          |         |           |
| <b>Gaylussacia dumosa.</b> Col  | 60 cts. per doz., \$3 per 100,<br>\$20 per 1,000. |  |          |         |           |
| <b>Gaultheria procumbens.</b>   | 25 cts. per doz., \$1.50 per 100, \$10 per 1,000. |  |          |         |           |
| <b>Hamamelis Virginica.</b>   | 50c. per doz., \$3 per 100. \$25 per 1,000.       |  |          |         |           |
| <b>Hypericum densiflorum.</b>   | 60c. per doz., \$1.50 per 100, \$10 per 1,000.    |  |          |         |           |
| <b>Hydrangea arbores-</b>   |   |  |          |         |           |
| <b>cens.</b> 2 ft. 75c. per doz., \$5 per 100. Col. 65 cts per doz., \$3 per 100, \$25 per 1,000. |   |  |          |         |           |



ITEA VIRGINICA. (See page 14.)

Plants **in this type** are nursery grown; **in this type**, collected.



MAGNOLIA GLAUCA. (See page 15.)

|   | Per doz. | Per 100 | Per 1,000 |
|---|----------|---------|-----------|
| <b>Hudsonia ericoides</b> . . . . .                             | \$0 60   | \$2 00  | \$15 00   |
| “ <b>tomentosa</b> . . . . .                                    | 60       | 2 50    | 20 00     |
| <b>Iva frutescens</b> . . . . .                                 | 60       | 3 00    | 25 00     |
| <b>Itea Virginica</b> . 2 ft. Bushy . . . . .                   | 60       | 3 00    | 25 00     |
| “ “ Collected . . . . .   | 50       | 2 50    | 20 00     |
| <b>Ilex glabra</b> . 8 to 12 in. . . . .                        | 60       | 3 00    | 20 00     |
| “ “ 1 to 2 ft., with ball . . . . .                             | 10 00    | 17 00   |           |
| “ <b>opaca</b> . 1 ft. Bushy . . . . .                          | 1 50     | 8 00    |           |
| “ “ 2 ft. Bushy . . . . .                                       | 2 00     | 12 00   |           |
| “ “ 1 ft. Collected . . . . .                                   | 75       | 4 00    | 30 00     |
| “ <b>verticillata</b> . . . . .                                 | 85       | 5 00    | 40 00     |
| <b>Juniperus Virginiana</b> . . . . .                           | 50       | 2 00    | 15 00     |
| “ <b>communis</b> . . . . .                                     | 75       | 3 00    | 25 00     |
| <b>Kalmia latifolia</b> . 2 ft. 2 years, transplanted . . . . . | 3 00     |         |           |
| “ “ 6 to 12 in. Collected . . . . .                             | 60       | 2 50    | 20 00     |
| “ <b>angustifolia</b> . 1 ft. Bushy. 2 years, trans. . . . .    | 1 50     |         |           |
| “ “ Collected . . . . .   | 60       | 2 00    | 15 00     |
| <b>Liquidambar styraciflua</b> . 1 to 2 ft. . . . .             | 60       | 2 50    | 20 00     |
| “ “ 2 to 3 ft. . . . .  | 75       | 3 50    | 30 00     |
| “ “ 3 to 4 ft. . . . .  | 90       | 5 00    |           |
| “ “ 4 to 5 ft. . . . .  | 1 25     | 8 00    |           |

Plants **in this type** are nursery grown; **in this type**, collected.

|   |                                  |       | Per doz. | Per 100 | Per 1,000 |
|---|----------------------------------|-------|----------|---------|-----------|
| <b>Liquidambar styraciflua.</b>         | 5 to 6 ft.                       | ..... | \$2 00   | \$15 00 |           |
| " "                                     | Collected                        | ..... | 50       | 2 00    | \$18 00   |
| <b>Liriodendron tulipifera.</b>         | 1 to 2 ft.                       | ..... | 60       | 2 50    | 22 00     |
| " "                                     | 2 to 3 ft.                       | ..... | 75       | 3 50    | 30 00     |
| " "                                     | 3 to 4 ft.                       | ..... | 90       | 5 00    |           |
| " "                                     | 4 to 5 ft.                       | ..... | 1 50     | 9 00    |           |
| " "                                     | 5 to 6 ft.                       | ..... | 2 25     | 16 00   |           |
| " "                                     | Collected                        | ..... | 50       | 2 00    | 15 00     |
| <b>Leiophyllum buxifolium.</b>          | 8 to 12 in. Bushy.               |       |          |         |           |
|   | 3 years, transplanted            | 2 50  | 8 00     |         |           |
| " "                                     | 6 to 12 in. Collected            | 60    | 2 00     | 15 00   |           |
| <b>Lycium vulgare.</b>                  | 2 to 3 ft.                       | ..... | 60       | 2 50    | 20 00     |
| <b>Lonicera Halleana.</b>               | 2 years                          | ..... | 75       | 4 00    | 35 00     |
| " "                                     | 1 year                           | ..... | 60       | 3 50    | 30 00     |
| " <i>brachypoda</i>                     | .....                            | ..... | 60       | 3 50    | 30 00     |
| <b>Lindera Benzoin.</b>                 | 2 ft. Bushy                      | ..... | 80       | 6 00    |           |
| " "                                     | Collected                        | ..... | 60       | 3 00    | 25 00     |
| <b>Magnolia glauca.</b>                 | 8 to 12 in.                      | ..... | 1 00     | 6 00    |           |
| " "                                     | 12 to 18 in.                     | ..... | 1 50     | 8 00    |           |
| " "                                     | 18 to 24 in.                     | ..... | 2 00     | 10 00   |           |
| " "                                     | Collected                        | ..... | 75       | 3 50    | 30 00     |
| <b>Myrica cerifera.</b>                 | 1 ft. Bushy                      | ..... | 75       | 3 50    | 30 00     |
| " "                                     | Collected seedlings              | ..... | 60       | 2 50    | 20 00     |
| " "                                     | Collected layers                 | ..... | 60       | 2 00    | 15 00     |
| <b>Menispermum Canadense</b>            | .....                            | ..... | 60       | 2 50    | 20 00     |
| <b>Nyssa multiflora</b>                 | .....                            | ..... | 60       | 3 00    | 20 00     |
| <b>Ostrya Virginica</b>                 | .....                            | ..... | 60       | 4 00    | 30 00     |
| <b>Prunus maritima.</b>                 | 1 to 2 ft.                       | ..... | 75       | 3 50    | 30 00     |
| " "                                     | Collected                        | ..... | 60       | 2 50    | 20 00     |
| " <i>serotina</i>                       | .....                            | ..... | 60       | 3 00    | 25 00     |
| " <i>Virginiana</i>                     | .....                            | ..... | 60       | 3 00    | 25 00     |
| <b>Pyrus arbutifolia.</b>               | 1 to 2 ft. 2 years, transplanted | ..... | 75       | 3 50    |           |
| " "                                     | Collected                        | ..... | 50       | 2 00    | 18 00     |
| " <i>melanocarpa</i> . (Black-fruited.) | .....                            | ..... | 60       | 2 50    | 20 00     |
| <b>Platanus orientalis.</b>             | 5 to 8 ft.                       | ..... | 1 50     | 8 00    |           |
| <b>Potentilla fruticosa.</b>            | 1 to 2 ft. Bushy                 | ..... | 60       | 4 00    |           |
| " "                                     | Collected                        | ..... | 50       | 2 50    | 20 00     |
| <b>Pinus rigida</b>                     | .....                            | ..... | 50       | 2 00    | 15 00     |
| " <i>mitis</i>                          | .....                            | ..... | 50       | 2 00    | 15 00     |
| " <i>inops</i>                          | .....                            | ..... | 60       | 2 50    | 20 00     |
| <b>Rhus copallina.</b>                  | 1 to 2 ft.                       | ..... | 75       | 3 00    |           |
| " "                                     | Collected                        | ..... | 50       | 2 00    | 12 00     |
| " <i>glabra</i>                         | .....                            | ..... | 75       | 2 50    | 15 00     |
| " <i>tiphyna</i>                        | .....                            | ..... | 75       | 2 50    | 20 00     |
| <b>Robinia hispida</b>                  | .....                            | ..... | 60       | 3 00    | 25 00     |
| <b>Rubus odoratus.</b>                  | Transplanted                     | ..... | 75       | 3 00    |           |
| " "                                     | Collected                        | ..... | 50       | 2 00    | 15 00     |
| " <i>cuneifolius</i>                    | .....                            | ..... | 50       | 2 00    | 15 00     |
| " <i>Canadensis</i>                     | .....                            | ..... | 50       | 1 80    | 10 00     |
| " <i>hispidus</i>                       | .....                            | ..... | 50       | 1 50    | 10 00     |
| <b>Rosa Carolina.</b>                   | 8 to 12 in. 1 year, transplanted | ..... | 75       | 3 00    |           |

Plants in this type are nursery grown; in this type, collected.

|   |  | Per doz. | Per 100 | Per 1,000 |
|---|--|----------|---------|-----------|
| <b>Rosa Carolina.</b>                                 | Collected . . . . .                        | \$0 60   | \$2 00  | \$18 00   |
| " <b>lucida.</b>                                      | 8 to 12 in. 1 year, transplanted . . . . . | 75       | 4 50    | 40 00     |
| " " <b>Collected</b> . . . . .                        |  | 50       | 2 00    | 18 00     |
| " <b>humulis</b> . . . . .                            |  | 75       | 3 00    | 25 00     |
| <b>Rhododendron maximum</b> . . . . .                 |  | 75       | 3 00    | 25 00     |
| <b>Sambucus Canadensis</b> . . . . .                  |  | 50       | 2 00    | 15 00     |
| " <b>pubens</b> . . . . .                             |  | 75       | 3 00    | 25 00     |
| <b>Symporicarpos vulgaris.</b> 12 to 18 in. . . . .   |  | 50       | 2 50    | 20 00     |
| " " 18 to 24 in. . . . .                              |  | 60       | 3 00    | 25 00     |
| " " 2 to 3 ft. . . . .                                |  | 75       | 4 00    | 35 00     |
| <b>Spiraea tomentosa.</b> 2 ft. . . . .               |  | 75       | 3 00    |           |
| " " <b>Collected</b> . . . . .                        |  | 50       | 2 00    | 15 00     |
| " <b>salicifolia</b> . . . . .                        |  | 60       | 3 00    | 20 00     |
| <b>Staphylea trifolia</b> . . . . .                   |  | 60       | 3 00    | 25 00     |
| <b>Sassafras officinalis</b> . . . . .                |  | 50       | 2 00    | 18 00     |
| <b>Smilax rotundifolia</b> . . . . .                  |  | 40       | 2 00    | 15 00     |
| " <b>Walterii.</b> Scarlet-fruited . . . . .          |  | 1 00     | 6 00    |           |
| <b>Tecoma radicans</b> . . . . .                      |  | 50       | 2 50    | 20 00     |
| <b>Vaccinium corymbosum.</b> 18 to 24 in. Bushy . . . | 80   | 4 00     |         |           |
| " " 12 to 18 in. Bushy . . .                          | 60   | 3 50     |         |           |
| " " <b>Collected</b> . . . . .                        | 60   | 3 00     | 25 00   |           |
| " <b>stamineum.</b> 1 ft. . . . .                     | 80   | 5 00     |         |           |
| " " <b>Collected</b> . . . . .                        | 75   | 4 00     | 30 00   |           |
| " <b>vacillans</b> . . . . .                          | 50   | 2 00     | 15 00   |           |
| " <b>Pennsylvanicum</b> . . . . .                     | 60   | 3 00     | 25 00   |           |
| " <b>macrocarpon</b> . . . . .                        | 50   | 1 50     | 10 00   |           |
| <b>Viburnum acerifolium.</b> 1 to 2 ft. . . . .       | 75   | 4 00     |         |           |
| " " <b>Collected</b> . . . . .                        | 60   | 3 00     | 25 00   |           |
| " <b>dentatum.</b> 1 to 2 ft. Transplanted . . .      | 75   | 4 00     |         |           |
| " " <b>Collected</b> . . . . .                        | 60   | 3 50     | 30 00   |           |
| " <b>prunifolium</b> . . . . .                        | 60   | 3 00     | 25 00   |           |
| " <b>nudum.</b> 18 to 24 in. Bushy . . . . .          | 75   | 5 00     |         |           |
| " " <b>Collected</b> . . . . .                        | 60   | 3 00     | 25 00   |           |
| " <b>cassinoides.</b> 1 to 2 ft. . . . .              | 75   | 5 00     |         |           |
| " " <b>Collected</b> . . . . .                        | 60   | 4 00     |         |           |
| " <b>pubescens</b> . . . . .                          | 75   | 4 00     |         |           |
| <b>Xanthoxylum Americanum.</b> 1 to 2 ft. . . . .     | 80   | 5 00     |         |           |
| " <b>Collected</b> . . . . .                          | 75   | 4 00     | 30 00   |           |

Plants **in this type** are nursery grown; **in this type**, collected.



73

# SUPPLEMENT TO SPRING TRADE-LIST, 1897.

## VIOLETS.

LIBRARY  
RECEIVED

Plants from 2-inch pots. Rooted Runners of Several Varieties at Reduced Prices.

**Farquhar.** We think this variety will displace Marie Louise. It is somewhat earlier with us under same conditions. Color very uniform dark purple, flower of large size and very fragrant, and as free as Marie Louise. A nice and distinct grower. The Farquhar, Marie Louise and Lady Campbell were shown at Boston, January, 1896, by Mr. McKay. They were all in excellent form and grown under the same conditions. The Farquhar stood as superior in color, length of stem and size; particularly in size were the flowers remarkable. It has been certificated by the Massachusetts Horticultural Society. 50 cts per doz., \$3 per 100, \$25 per 1,000.



**Hardy English.** Very desirable for frames or outdoor planting, blooming a week to 10 days later than the other varieties; very fragrant dark purple flowers; very free. 75 cts. per doz., \$5 per 100.

**Marie Louise.** Very generally grown, and still excellent in some localities, although the stock seems to be weak or affected in many sections; fragrant and very free. 35 cts per doz., \$2 per 100.

**California.** An excellent single-flowered variety; very strong grower; flowers dark purple, very freely produced on long stems; fragrant and very effective. 35 cts. per doz., \$2 per 100, \$15 per 1,000.

**Luxonne.** Flower very similar to California; a stronger grower. 10 cts. each, \$1 per doz.

**Princess of Wales.** Highly recommended; said to be very productive, fragrant and a strong grower; long stems. 10 cts. each, \$1 per doz., \$7 per 100.

## DAISIES.

From 2-inch pots.

**Giant Californian.** Very large white flowers on long stems; free. 50 cts. per doz., \$3 per 100.

**Etoile de Lyon.** An elegant yellow-flowered variety; long stems and very free; from early spring months on. 75 cts. per doz., \$5 per 100.

## ANTIRRHINUM (Snapdragon).

The white-flowered variety. A real desirable plant for cut-flower purposes. Very free flowering, fine. 2-inch pots, 75 cts. per doz.

## BOUGAINVILLEAS.

These are amongst the very finest decorative plants in cultivation. Nearly all are very strong, rapid growers, blooming freely, even in very small plants. With us they are in flower usually from December to July. The flower bracts are very lasting; with little or no moisture they can be held in a cut state six to eight weeks. *B. glabra* we think the best for cutting, the bracts, which are of a beautiful mauve color, being larger than those of the other varieties; is also less compact in growth and more effective for decorative use. *B. glabra Sanderiana* has bracts identical in color, but they are very compactly arranged on the branches, a well set plant vieing with any Azalea for color effect. This variety is specially valuable as a pot plant, the habit being more compact than *B. glabra*; it is also extremely useful for cutting, and equally as lasting. *B. speciosa* (?) is an elegant very light mauve-flowered (bracted) variety; it is a weak grower compared with the foregoing sorts, yet not troublesome to flower. Of *B. glabra* and *B. glabra Sanderiana* we expect to have a nice stock in early fall; at present we can offer medium to large plants as below:

**BOUGAINVILLEA glabra.** 50 cts. to \$10 each.

**B. glabra Sanderiana.** Specially valuable for Christmas and Easter. 50 cts. to \$5 each.

**B. speciosa** (?). 50 cts. each.

THEO. F. BECKERT,  
Glenfield, Pa.

